

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# PROPOSAL LIST

*Very Special Offerings* (Prices not given)  
*for Spring of 1931*

We are prepared to make quick shipment when you give the word. Kindly furnish want-list promptly and lowest prices, consistent with quality, will be made in accordance with quantities taken. Write quantity of each item wanted opposite variety and grade you are interested in for a special price, returning list to us, and quotations which are sure to meet your approval will be made by return mail—or by Western Union if in a hurry.

## E. C. ROBBINS

*Gardens of the Blue Ridge*

ASHFORD (McDowell County)

NORTH CAROLINA

# Hardy Native Deciduous Trees and Shrubs

| Name                           | Quantity | Size and Grade            | Collected or Nursery Grown | Quantity Price |
|--------------------------------|----------|---------------------------|----------------------------|----------------|
| <b>Acer</b> dasycarpum.....    | 535      | 5 to 6 ft.                | N. G.                      | .....          |
|                                | 400      | 6 to 8 ft.                | N. G.                      | .....          |
|                                | 140      | 8 to 10 ft.               | N. G.                      | .....          |
| <b>A.</b> saccharum.....       | 205      | 2 to 3 ft.                | N. G.                      | .....          |
|                                | 190      | 3 to 4 ft.                | N. G.                      | .....          |
|                                | 250      | 4 to 6 ft.                | N. G.                      | .....          |
|                                | 135      | 6 to 7 ft.                | N. G.                      | .....          |
| <b>Æsculus</b> octandra.....   | 600      | 6 to 12 in.               | N. G. seedlings            | .....          |
| <b>Alnus</b> viridis.....      | 200      | 1 to 2 ft. X              | N. G.                      | .....          |
|                                | 135      | 2 to 3 ft. X              | N. G.                      | .....          |
|                                | 1500     | 3 to 4 ft.                | Coll.                      | .....          |
| <b>Amelanchier</b> lævis.....  | 855      | 1 to 2 ft.                | N. G.                      | .....          |
|                                | 300      | 2 to 3 ft.                | N. G.                      | .....          |
|                                | 135      | 3 to 4 ft.                | N. G.                      | .....          |
|                                | 100      | 4 to 6 ft.                | N. G.                      | .....          |
| <b>Aronia</b> arbutifolia..... | 860      | 9 to 12 in.               | N. G.                      | .....          |
| <b>A.</b> melanocarpa.....     | 650      | 1 to 2 ft.                | N. G.                      | .....          |
|                                | 400      | 2 to 3 ft.                | N. G.                      | .....          |
|                                | 250      | 3 to 4 ft.                | N. G.                      | .....          |
| <b>Azalea</b> arborescens..... | 2175     | 6 to 9-in. heavy clumps   | N. G.                      | .....          |
|                                | 345      | 9 to 12-in. heavy clumps  | N. G.                      | .....          |
|                                | 235      | 12 to 18-in. heavy clumps | N. G.                      | .....          |
|                                | 340      | 18 to 24-in. heavy clumps | N. G.                      | .....          |
|                                | 85       | 2 to 3-ft. heavy clumps   | N. G.                      | .....          |
| <b>A.</b> calendulacea.....    | 12250    | 6 to 9 in.                | N. G., strong              | .....          |
|                                | 4015     | 9 to 12-in. clumps        | N. G.                      | .....          |
|                                | 2015     | 12 to 18-in. clumps       | N. G.                      | .....          |
|                                | 1090     | 18 to 24-in. clumps       | N. G.                      | .....          |
|                                | 380      | 2 to 3-ft. clumps         | N. G.                      | .....          |
|                                | 181      | 3 to 4-ft. clumps         | N. G.                      | .....          |
|                                | 100      | 4 to 5-ft. clumps         | N. G.                      | .....          |
|                                | 5600     | 1½ to 2 ft.               | Coll. clumps               | .....          |
|                                | 18500    | 2 to 3 ft.                | Coll. clumps               | .....          |
|                                | 24500    | 3 to 4 ft.                | Coll. clumps               | .....          |
|                                | 12000    | 4 to 5 ft.                | Coll. clumps               | .....          |
|                                | 35000    | Cut-back clumps           | Coll.                      | .....          |
| <b>A.</b> canescens.....       | 3850     | 6 to 12 in.               | N. G., strong              | .....          |
|                                | 1250     | 12 to 18-in. clumps       | N. G.                      | .....          |
|                                | 665      | 18 to 24-in. clumps       | N. G.                      | .....          |
|                                | 25000    | Cut-back clumps           | Coll.                      | .....          |
|                                | 15000    | 2 to 3-ft. clumps         | Coll.                      | .....          |
|                                | 5000     | 3 to 4-ft. clumps         | Coll.                      | .....          |

# SPECIAL OFFERINGS FOR SPRING OF 1931

| Name                                | Quantity | Size and Grade      | Collected or Nursery Grown | Quantity Price |
|-------------------------------------|----------|---------------------|----------------------------|----------------|
| <b>Azalea nudiflora</b> .....       | 4895     | 6 to 12-in. clumps  | N. G.                      | .....          |
|                                     | 1500     | 12 to 18-in. clumps | N. G.                      | .....          |
|                                     | 241      | 18 to 24-in. clumps | N. G.                      | .....          |
|                                     | 35000    | Cut-back clumps     | Coll.                      | .....          |
| <b>A. vaseyi</b> .....              | 11330    | 6 to 12 in. 1-yr.   | N. G.                      | .....          |
|                                     | 1140     | 12 to 18 in.        | N. G., strong              | .....          |
|                                     | 1500     | 2 to 3 ft.          | Coll., strong              | .....          |
| <b>Comptonia asplenifolia</b> ...   | 12500    | 1 to 2 ft.          | Coll.                      | .....          |
| <b>Euonymus americanus</b> ...      | 300      | 6 to 12 in.         | N. G.                      | .....          |
|                                     | 185      | 1 to 2 ft.          | N. G.                      | .....          |
| <b>Halesia tetraptera</b> .....     | 2000     | 6 to 8 in.          | N. G. seedlings            | .....          |
| <b>Hamamelis virginiana</b> ....    | 3680     | One-year            | N. G. seedlings            | .....          |
|                                     | 280      | 4 to 6 in.          | N. G.                      | .....          |
|                                     | 135      | 6 to 12 in.         | N. G.                      | .....          |
| <b>Hydrangea arborescens</b> ...    | 5080     | 1 to 2 ft.          | Coll., strong              | .....          |
| <b>H. paniculata grandiflora</b> .. | 1910     | 6 to 12 in.         | N. G.                      | .....          |
|                                     | 1125     | 1 to 2 ft.          | N. G.                      | .....          |
|                                     | 500      | 2 to 3 ft.          | N. G., strong              | .....          |
|                                     | 250      | 3 to 4 ft.          | N. G., strong              | .....          |
| <b>Hypericum densiflorum</b> ...    | 3500     | 1 to 2 ft.          | Coll., strong              | .....          |
| <b>H. prolificum</b> .....          | 500      | 1 to 2 ft.          | N. G.                      | .....          |
| <b>Ilex monticola</b> .....         | 650      | 2 to 3 ft.          | N. G.                      | .....          |
|                                     | 445      | 3 to 4 ft.          | N. G.                      | .....          |
|                                     | 335      | 4 to 5 ft.          | N. G.                      | .....          |
|                                     | 250      | 5 to 6 ft.          | Coll.                      | .....          |
|                                     | 500      | 6 to 8 ft. X-heavy  | Coll.                      | .....          |
| <b>Oxydendrum arboreum</b> ...      | 1105     | 6 to 12 in.         | N. G.                      | .....          |
|                                     | 1710     | 1 to 2 ft.          | N. G.                      | .....          |
|                                     | 300      | 2 to 3 ft.          | N. G.                      | .....          |
|                                     | 1500     | 3 to 4 ft.          | Coll., strong              | .....          |
|                                     | 1000     | 4 to 5 ft.          | Coll., strong              | .....          |
|                                     | 550      | 5 to 6 ft.          | Coll., strong              | .....          |
| <b>Populus tremuloides</b> .....    | 450      | 6 to 7 ft.          | Coll., strong              | .....          |
|                                     | 1110     | 1 to 2 ft.          | N. G., strong              | .....          |
|                                     | 615      | 2 to 3 ft.          | N. G., strong              | .....          |
| <b>Rhus canadensis</b> .....        | 650      | 6 to 12 in.         | N. G. seedlings            | .....          |
| <b>R. copallina</b> .....           | 2000     | 6 to 12 in.         | N. G.                      | .....          |
|                                     | 7500     | 1 to 2 ft.          | Coll.                      | .....          |
| <b>R. typhina</b> .....             | 100      | 2 to 3 ft.          | N. G.                      | .....          |
|                                     | 135      | 3 to 4 ft.          | N. G.                      | .....          |
|                                     | 180      | 4 to 6 ft.          | N. G.                      | .....          |
|                                     | 100      | 6 to 8 ft.          | N. G.                      | .....          |

## SPECIAL OFFERINGS FOR SPRING OF 1931

| Name                              | Quantity | Size and Grade    | Collected or Nursery Grown | Quantity Price |
|-----------------------------------|----------|-------------------|----------------------------|----------------|
| <b>Rubus</b> odoratus.....        | 1350     | 1 to 2 ft.        | N. G.                      | .....          |
| <b>Sambucus</b> pubens.....       | 2000     | 2 to 3 ft.        | Coll., strong              | .....          |
| <b>Sorbus</b> americana.....      | 80       | 1 to 2 ft.        | N. G., strong              | .....          |
|                                   | 120      | 2 to 3 ft.        | N. G., strong              | .....          |
|                                   | 45       | 3 to 4 ft.        | N. G., strong              | .....          |
|                                   | 25       | 4 to 5 ft.        | N. G., strong              | .....          |
| <b>Stewartia</b> pentagyna.....   | 2600     | 6 to 9 in.        | N. G. seedlings, str.      | .....          |
|                                   | 765      | 6 to 12 in.       | N. G.                      | .....          |
| <b>Vaccinium</b> pallidum.....    | 390      | 1 to 2 ft. Heavy  | N. G.                      | .....          |
|                                   | 383      | 2 to 3 ft. Heavy  | N. G.                      | .....          |
|                                   | 130      | 3 to 4 ft. Heavy  | N. G.                      | .....          |
|                                   | 3500     | 1½ to 3 ft. Heavy | Coll.                      | .....          |
| <b>Viburnum</b> cassinoides.....  | 470      | 1 to 2 ft. Heavy  | N. G.                      | .....          |
|                                   | 1450     | 2 to 3 ft. Heavy  | N. G.                      | .....          |
|                                   | 2000     | 3 to 4 ft. Heavy  | N. G.                      | .....          |
| <b>Zanthorhiza</b> apiifolia..... | 2500     | 4 to 6 in.        | N. G.                      | .....          |
|                                   | 1500     | 6 to 12 in.       | N. G.                      | .....          |
|                                   | 15000    | 6 to 15 in.       | Coll., strong              | .....          |

## Hardy Native Evergreen Trees and Shrubs

|                                   |       |                     |                       |       |
|-----------------------------------|-------|---------------------|-----------------------|-------|
| <b>Abies</b> concolor.....        | 2150  | 2 to 4 in.          | N. G. seedlings       | ..... |
| <b>A.</b> fraseri.....            | 15000 | 4 to 6 in. X-nice   | N. G.                 | ..... |
|                                   | 10450 | 6 to 12 in. X-nice  | N. G.                 | ..... |
|                                   | 1500  | 12 to 18 in. X-nice | N. G.                 | ..... |
|                                   | 500   | 18 to 24 in. X-nice | N. G.                 | ..... |
| <b>Ilex</b> glabra.....           | 150   | 6 to 12 in.         | N. G., strong         | ..... |
|                                   | 25000 | 1 to 2 ft.          | Coll. for growing on  | ..... |
|                                   | 7500  | 2 to 3 ft.          | Coll., clumps, strong | ..... |
|                                   | 3500  | 3 to 4 ft.          | Coll. clumps, strong  | ..... |
| <b>I.</b> opaca.....              | 1080  | 4 to 6 in.          | N. G.                 | ..... |
|                                   | 15000 | Two-year            | N. G. seedlings, str. | ..... |
|                                   | 100   | 3 to 4 ft.          | N. G.                 | ..... |
|                                   | 75    | 4 to 5 ft.          | N. G.                 | ..... |
|                                   | 65    | 5 to 6 ft.          | N. G.                 | ..... |
|                                   | 250   | 6 to 8 ft.          | Coll.                 | ..... |
| <b>Juniperus</b> communis.....    | 1680  | 6 to 12 in. X-nice  | N. G.                 | ..... |
| <b>J.</b> communis hibernica..... | 55    | 3 to 4 ft. X-nice   | N. G.                 | ..... |
|                                   | 50    | 4 to 5 ft. X-nice   | N. G.                 | ..... |
|                                   | 60    | 5 to 6 ft. X-heavy  | N. G.                 | ..... |
| <b>J.</b> virginiana.....         | 5500  | One-year            | N. G. seedlings       | ..... |
|                                   | 500   | 6 to 12 in.         | N. G.                 | ..... |

# SPECIAL OFFERINGS FOR SPRING OF 1931

| Name                             | Quantity | Size and Grade                | Collected or Nursery Grown | Quantity Price |
|----------------------------------|----------|-------------------------------|----------------------------|----------------|
| <b>Kalmia latifolia</b> .....    | 2655     | 3 to 6 in.                    | N. G., strong              | .....          |
|                                  | 3400     | 6 to 12 in.                   | N. G., strong              | .....          |
|                                  | 10525    | 6 to 9 in. X-heavy            | N. G. clumps               | .....          |
|                                  | 2395     | 9 to 12 in. X-heavy           | N. G. clumps               | .....          |
|                                  | 2605     | 12 to 18 in. X-heavy          | N. G. clumps               | .....          |
|                                  | 2500     | 18 to 24 in. X-heavy          | N. G. clumps               | .....          |
|                                  | 1200     | 2 to 3 ft. X-heavy            | N. G. clumps               | .....          |
|                                  | 125      | 3 to 4 ft. X-heavy            | N. G. clumps               | .....          |
|                                  | 25000    | 1 to 2 ft. X-select           | Coll. clumps               | .....          |
|                                  | 35000    | 2 to 3 ft. X-select           | Coll. clumps               | .....          |
|                                  | 6500     | 3 to 4 ft. X-select           | Coll. clumps               | .....          |
| <b>Leiophyllum buxifolium</b> .. | 2500     | 4 to 5 ft. X-select           | Coll. clumps               | .....          |
|                                  | 570      | 4 to 6-in. clumps             | N. G.                      | .....          |
|                                  | 370      | 6 to 12-in. clumps            | N. G.                      | .....          |
|                                  | 105      | 12 to 18-in. clumps           | N. G.                      | .....          |
| <b>L. prostratum</b> .....       | 5000     | 9 to 12-in. clumps            | Coll.                      | .....          |
|                                  | 1950     | 3 to 4-in. spread             | N. G. clumps               | .....          |
|                                  | 2500     | 4 to 6-in. spread             | N. G. clumps               | .....          |
| <b>Leucothoe catesbæi</b> .....  | 1575     | 6 to 9-in. spread             | N. G. clumps               | .....          |
|                                  | 7500     | 6 to 12 in. X-quality         | N. G.                      | .....          |
|                                  | 2500     | 9 to 12 in. Heavy clumps      | N. G.                      | .....          |
|                                  | 6490     | 12 to 18 in. X-heavy clumps   | N. G.                      | .....          |
|                                  | 2500     | 18 to 24 in. X-heavy clumps   | N. G.                      | .....          |
|                                  | 35000    | Cut-back selected clumps      | Coll.                      | .....          |
|                                  | 15000    | 1 to 2 ft. Selected clumps    | Coll.                      | .....          |
|                                  | 17500    | 2 to 3 ft. Selected clumps    | Coll.                      | .....          |
|                                  | 3500     | 3 to 4 ft. Selected clumps    | Coll.                      | .....          |
| <b>Picea canadensis</b> .....    | 1180     | 6 to 12 in. Splendid quality  | N. G.                      | .....          |
|                                  | 500      | 12 to 18 in. Splendid quality | N. G.                      | .....          |
| <b>P. excelsa</b> .....          | 3000     | 3 to 4 in.                    | N. G.                      | .....          |
|                                  | 1580     | 4 to 6 in.                    | N. G., strong              | .....          |
|                                  | 1050     | 6 to 12 in. Good quality      | N. G.                      | .....          |
| <b>P. mariana</b> .....          | 530      | 4 to 6 in.                    | N. G.                      | .....          |
|                                  | 3195     | 6 to 12 in. X-value           | N. G.                      | .....          |
|                                  | 1000     | 1 to 2 ft.                    | N. G.                      | .....          |
| <b>P. pungens</b> .....          | 23500    | One-year seedlings            | N. G.                      | .....          |
|                                  | 6375     | 2 to 4 in.                    | N. G.                      | .....          |
|                                  | 3000     | 4 to 6 in.                    | N. G.                      | .....          |
|                                  | 2700     | 6 to 9 in.                    | N. G.                      | .....          |

# SPECIAL OFFERINGS FOR SPRING OF 1931

| Name                               | Quantity | Size and Grade                      | Collected or Nursery Grown | Quantity Price |
|------------------------------------|----------|-------------------------------------|----------------------------|----------------|
| <b>Pieris floribunda</b> .....     | 6240     | 4 to 6 in. Strong clumps            | N. G.                      | .....          |
|                                    | 4125     | 6 to 12 in. X-quality clumps        | N. G.                      | .....          |
|                                    | 500      | 12 to 14 in. X-quality clumps       | N. G.                      | .....          |
|                                    | 75000    | Cut-back, good-quality clumps       | Coll.                      | .....          |
|                                    | 25000    | 1½ to 2½ ft. Good-quality clumps    | Coll.                      | .....          |
|                                    | 7500     | 2½ to 3 ft. Good-quality clumps     | Coll.                      | .....          |
| <b>Pinus strobus</b> .....         | 6830     | 4 to 6 in. X-quality                | N. G.                      | .....          |
|                                    | 6040     | 6 to 12 in. X-quality               | N. G.                      | .....          |
|                                    | 10085    | 1 to 2 ft.                          | N. G.                      | .....          |
|                                    | 4845     | 2 to 3 ft.                          | N. G.                      | .....          |
|                                    | 1000     | 3 to 4 ft.                          | N. G.                      | .....          |
|                                    | 1000     | 6 to 8 ft. X-heavy, select          | Coll.                      | .....          |
| <b>Rhododendron carolinianum</b>   | 3040     | 4 to 6-in. seedlings                | N. G.                      | .....          |
|                                    | 1500     | 6 to 12-in. seedlings               | N. G.                      | .....          |
|                                    | 24810    | 6 to 9 in. Heavy clumps             | N. G.                      | .....          |
|                                    | 5020     | 9 to 12 in. Heavy clumps            | N. G.                      | .....          |
|                                    | 1750     | 12 to 18 in. X-heavy clumps         | N. G.                      | .....          |
|                                    | 1000     | 18 to 24 in. X-heavy clumps         | N. G.                      | .....          |
|                                    | 100000   | Cut-back selected clumps            | Coll.                      | .....          |
|                                    | 15000    | 2 to 3 ft. Good-quality clumps      | Coll.                      | .....          |
|                                    | 12500    | 3 to 4 ft. Good-quality clumps      | Coll.                      | .....          |
|                                    | 4500     | 4 to 5 ft. Good-quality clumps      | Coll.                      | .....          |
| <b>R. carolinianum album</b> ..... | 680      | 6 to 12 in. Good-quality clumps     | N. G.                      | .....          |
|                                    | 150      | 12 to 18 in. Good-quality clumps    | N. G.                      | .....          |
|                                    | 12500    | Cut-back selected clumps            | Coll.                      | .....          |
|                                    | 7500     | 2 to 3 ft. Good-quality clumps      | Coll.                      | .....          |
|                                    | 6500     | 3 to 4 ft. Good-quality clumps      | Coll.                      | .....          |
|                                    | 5500     | 4 to 5 ft. Good-quality clumps      | Coll.                      | .....          |
| <b>R. catawbiense</b> .....        | 15910    | 3 to 6 in. Strong seedling plants   | N. G.                      | .....          |
|                                    | 7160     | 6 to 12 in. X-strong bushy plants   | N. G.                      | .....          |
|                                    | 18470    | 6 to 9 in. X-quality bushy clumps   | N. G.                      | .....          |
|                                    | 5240     | 9 to 12 in. X-quality bushy clumps  | N. G.                      | .....          |
|                                    | 3985     | 12 to 18 in. X-quality bushy clumps | N. G.                      | .....          |
|                                    | 3804     | 18 to 24 in. X-quality bushy clumps | N. G.                      | .....          |
|                                    | 150000   | Cut-back selected clumps            | Coll.                      | .....          |
|                                    | 30000    | 2 to 3 ft. X-selected clumps        | Coll.                      | .....          |
|                                    | 12000    | 3 to 4 ft. X-selected clumps        | Coll.                      | .....          |
|                                    | 3000     | 4 to 5 ft. X-selected clumps        | Coll.                      | .....          |
| <b>R. catawbiense compacta</b> ... | 1500     | 5 to 6 ft. X-selected clumps        | Coll.                      | .....          |
|                                    | 10425    | 4 to 6 in. Strong bushy plants      | N. G.                      | .....          |
|                                    | 3230     | 6 to 12 in. X-strong bushy plants   | N. G.                      | .....          |
|                                    | 16730    | 6 to 9 in. X-heavy clumps           | N. G.                      | .....          |
|                                    | 2645     | 9 to 12 in. X-heavy clumps          | N. G.                      | .....          |
|                                    | 1000     | 12 to 18 in. X-heavy clumps         | N. G.                      | .....          |
|                                    | 567      | 18 to 24 in. XX-heavy clumps        | N. G.                      | .....          |
|                                    | 250000   | Cut-back selected clumps            | Coll.                      | .....          |



# SPECIAL OFFERINGS FOR SPRING OF 1931

| Name                           | Quantity | Size and Grade                  | Collected or Nursery Grown | Quantity Price |
|--------------------------------|----------|---------------------------------|----------------------------|----------------|
| <b>Rhododendron</b> maximum .  | 6545     | 3 to 6 in. Strong seedlings     | N. G.                      | .....          |
|                                | 5025     | 6 to 12 in. Strong bushy plants | N. G.                      | .....          |
|                                | 23500    | 6 to 9 in. X-stocky clumps      | N. G.                      | .....          |
|                                | 6070     | 9 to 12 in. XX-stocky clumps    | N. G.                      | .....          |
|                                | 6160     | 12 to 18 in. Specimen clumps    | N. G.                      | .....          |
|                                | 7000     | 18 to 24 in. Specimen clumps    | N. G.                      | .....          |
|                                | 2500     | 2 to 3 ft. XX-specimen clumps   | N. G.                      | .....          |
|                                | 25000    | 1 to 2 ft. Extra-quality clumps | Coll.                      | .....          |
|                                | 37500    | 2 to 3 ft. Extra-quality clumps | Coll.                      | .....          |
|                                | 22500    | 3 to 4 ft. Extra-quality clumps | Coll.                      | .....          |
|                                | 5500     | 4 to 5 ft. Extra-quality clumps | Coll.                      | .....          |
|                                | 2000     | 5 to 6 ft. Extra-quality clumps | Coll.                      | .....          |
| <b>Taxus</b> canadensis.....   | 300      | 4 to 12 in.                     | N. G.                      | .....          |
| <b>Thuja</b> occidentalis..... | 8525     | 6 to 12 in. X-heavy, stocky     | N. G.                      | .....          |
|                                | 3500     | 1 to 2 ft. X-heavy, stocky      | N. G.                      | .....          |
|                                | 100      | 3 to 4 ft. XX-heavy trees       | N. G.                      | .....          |
|                                | 65       | 4 to 5 ft. XX-heavy trees       | N. G.                      | .....          |
| <b>Tsuga</b> canadensis.....   | 12390    | 4 to 6 in. Strong, stocky       | N. G.                      | .....          |
|                                | 52335    | 6 to 12 in. Strong, stocky      | N. G.                      | .....          |
|                                | 17500    | 12 to 18 in. XX-strong, stocky  | N. G.                      | .....          |
|                                | 5800     | 18 to 24 in. Strong, stocky     | N. G.                      | .....          |
|                                | 1000     | 2 to 3 ft. X-heavy              | N. G.                      | .....          |
|                                | 553      | 3 to 4 ft. X-heavy, select      | N. G.                      | .....          |
| <b>T.</b> caroliniana.....     | 13400    | 4 to 6 in. Stocky plants        | N. G.                      | .....          |
|                                | 3500     | 6 to 12 in.                     | N. G.                      | .....          |
|                                | 250      | 18 to 24 in. Select quality     | N. G.                      | .....          |
|                                | 125      | 2 to 3 ft. X-select quality     | N. G.                      | .....          |
|                                | 50       | 3 to 4 ft. Excellent quality    | N. G.                      | .....          |
|                                | 25       | 4 to 5 ft. Excellent quality    | N. G.                      | .....          |

# SPECIAL OFFERINGS FOR SPRING OF 1931

## Hardy Vines, Climbers, and Creepers

| Name                                 | Quantity | Size and Grade         | Collected or Nursery Grown | Quantity Price |
|--------------------------------------|----------|------------------------|----------------------------|----------------|
| <b>Ampelopsis</b> quinquefolia . . . | 140      | Strong                 | N. G.                      | .....          |
| <b>A.</b> quinquefolia engelmanni.   | 1250     | Medium size            | N. G.                      | .....          |
| <b>Aristolochia</b> sipho . . . . .  | 150      | 2 to 4 ft. X-strong    | N. G.                      | .....          |
| <b>Celastrus</b> scandens . . . . .  | 200      | 1 to 2 ft. Strong      | N. G.                      | .....          |
|                                      | 1530     | 2 to 3 ft. Strong      | N. G.                      | .....          |
|                                      | 250      | 3 to 4 ft. Strong      | N. G.                      | .....          |
| <b>Clematis</b> crispa . . . . .     | 500      | Strong 3-year          | N. G.                      | .....          |
| <b>C.</b> virginiana . . . . .       | 4500     | X-strong               | N. G.                      | .....          |
| <b>Dioscorea</b> villosa . . . . .   | 1950     | Strong                 | N. G.                      | .....          |
| <b>Epigæa</b> repens . . . . .       | 15000    | Strong clumps          | Coll.                      | .....          |
| <b>Galax</b> aphylla . . . . .       | 25000    | Strong clumps          | Coll.                      | .....          |
| <b>Gaultheria</b> procumbens . .     | 12500    | Strong clumps          | Coll.                      | .....          |
| <b>Houstonia</b> serpyllifolia . .   | 25000    | Strong clumps          | Coll.                      | .....          |
| <b>Iris</b> cristata . . . . .       | 27500    | Strong clumps          | N. G.                      | .....          |
|                                      | 50000    | Light plants           | N. G., for growing on      | .....          |
| <b>I.</b> verna . . . . .            | 15000    | Strong clumps          | N. G.                      | .....          |
| <b>Lonicera</b> japonica halliana..  | 2000     | Medium size            | N. G.                      | .....          |
|                                      | 35000    | Medium size            | Coll.                      | .....          |
|                                      | 12500    | Strong                 | Coll.                      | .....          |
| <b>Mitchella</b> repens . . . . .    | 3500     | Strong clumps          | Coll.                      | .....          |
| <b>Pachysandra</b> terminalis . .    | 1175     | Strong plants          | N. G.                      | .....          |
| <b>Passiflora</b> incarnata . . . .  | 2500     | Strong 2-yr. seedlings | N. G.                      | .....          |
| <b>Phlox</b> stolonifera . . . . .   | 2250     | Strong plants          | N. G.                      | .....          |
| <b>P.</b> subulata . . . . .         | 2750     | Strong clumpy plants   | N. G.                      | .....          |
| <b>Ranunculus</b> repens . . . . .   | 500      | Strong clumpy plants   | N. G.                      | .....          |
| <b>Sedum</b> telephoides . . . . .   | 3500     | Strong clumps          | N. G.                      | .....          |
| <b>S.</b> ternatum . . . . .         | 6500     | Strong clumps          | N. G.                      | .....          |
| <b>Shortia</b> galacifolia . . . . . | 6750     | Strong clumpy plants   | N. G.                      | .....          |
|                                      | 6500     | Medium-size plants     | N. G.                      | .....          |
| <b>Vinca</b> minor . . . . .         | 2750     | Strong plants          | N. G.                      | .....          |
| <b>Vitis</b> æstivalis . . . . .     | 750      | Strong 2-yr. seedlings | N. G.                      | .....          |
| <b>V.</b> rotundifolia . . . . .     | 600      | Strong 2-yr. seedlings | N. G.                      | .....          |

# SPECIAL OFFERINGS FOR SPRING OF 1931

## Hardy Native Ferns

| Name                              | Quantity | Size and Grade         | Collected or Nursery Grown | Quantity Price |
|-----------------------------------|----------|------------------------|----------------------------|----------------|
| <b>Adiantum</b> pedatum.....      | 26550    | Strong clumpy plants   | N. G.                      | .....          |
| <b>Athyrium</b> filixfemina.....  | 5850     | Strong clumpy plants   | N. G.                      | .....          |
| <b>Botrychium</b> virginianum..   | 1250     | Strong plants          | N. G.                      | .....          |
| <b>Dicksonia</b> punctilobula.... | 35000    | Strong clumpy plants   | N. G.                      | .....          |
| <b>Dryopteris</b> hexagonoptera.. | 7500     | Strong clumpy plants   | N. G.                      | .....          |
| <b>D.</b> marginalis.....         | 8225     | X-strong clumpy plants | N. G.                      | .....          |
| <b>D.</b> spinulosa.....          | 8500     | Strong plants          | N. G.                      | .....          |
| <b>Onoclea</b> sensibilis.....    | 2165     | Strong plants          | N. G.                      | .....          |
| <b>Osmunda</b> cinnamomca....     | 11675    | X-heavy clumpy plants  | N. G.                      | .....          |
| <b>O.</b> claytoniana.....        | 9500     | X-heavy clumpy plants  | N. G.                      | .....          |
| <b>O.</b> regalis.....            | 7500     | Strong clumpy plants   | N. G.                      | .....          |
| <b>Polystichum</b> acrostichoides | 16475    | Strong stocky plants   | N. G.                      | .....          |
| <b>Polypodium</b> vulgare.....    | 12500    | Strong clumps          | Coll.                      | .....          |
| <b>Pteretis</b> nodulosa.....     | 2360     | X-clumpy plants        | N. G.                      | .....          |
| <b>Pteridium</b> aquilinum.....   | 15000    | X-strong plants        | Coll.                      | .....          |

## Hardy Aquatic and Bog Plants

|                                    |       |                        |       |       |
|------------------------------------|-------|------------------------|-------|-------|
| <b>Acorus</b> calamus.....         | 1500  | Strong plants          | N. G. | ..... |
| <b>Aster</b> puniceus.....         | 3500  | Strong clumpy plants   | N. G. | ..... |
| <b>Caltha</b> palustris.....       | 1050  | Strong plants          | N. G. | ..... |
| <b>Chelone</b> glabra.....         | 3425  | Strong plants          | N. G. | ..... |
| <b>C.</b> lyoni.....               | 3200  | Strong plants          | N. G. | ..... |
| <b>Cicuta</b> maculata.....        | 1500  | Strong plants          | N. G. | ..... |
| <b>Dionæa</b> muscipula.....       | 3500  | Strong plants          | Coll. | ..... |
| <b>Hemerocallis</b> fulva.....     | 500   | Strong plants          | N. G. | ..... |
| <b>Iris</b> pseudacorus.....       | 1750  | Light plants           | N. G. | ..... |
|                                    | 3150  | X-strong plants        | N. G. | ..... |
| <b>I.</b> versicolor.....          | 1420  | Strong plants          | N. G. | ..... |
| <b>Mertensia</b> virginica.....    | 1500  | Strong plants          | N. G. | ..... |
|                                    | 3000  | Medium-size plants     | N. G. | ..... |
| <b>Monarda</b> didyma.....         | 1500  | Strong plants          | Coll. | ..... |
| <b>Sarracenia</b> flava.....       | 1110  | Strong plants          | N. G. | ..... |
| <b>S.</b> purpurea.....            | 1500  | Strong clumpy plants   | N. G. | ..... |
| <b>Saxifraga</b> virginiensis..... | 1605  | Strong clumpy plants   | N. G. | ..... |
| <b>Typha</b> latifolia.....        | 2500  | Strong clumpy plants   | N. G. | ..... |
| <b>Vaccinium</b> macrocarpon...    | 25000 | Strong selected plants | Coll. | ..... |
| <b>Veratrum</b> viride.....        | 2500  | X-heavy clumpy plants  | N. G. | ..... |

## SPECIAL OFFERINGS FOR SPRING OF 1931

## Hardy Native Orchids

| Name                             | Quantity | Size and Grade          | Collected or Nursery Grown | Quantity Price |
|----------------------------------|----------|-------------------------|----------------------------|----------------|
| <b>Calopogon</b> pulchellus..... | 1180     | Strong plants           | N. G.                      | .....          |
| <b>Cypripedium</b> acaule.....   | 5850     | Strong first size       | N. G.                      | .....          |
|                                  | 35000    | Medium size             | N. G.                      | .....          |
| <b>C.</b> pubescens.....         | 2430     | Strong first size       | N. G.                      | .....          |
|                                  | 5330     | Medium size             | N. G.                      | .....          |
| <b>C.</b> spectabile.....        | 1750     | Strong, 1 to 3 crowns   | N. G.                      | .....          |
|                                  | 100      | X-strong, 4 to 6 crowns | N. G.                      | .....          |
| <b>Habenaria</b> ciliaris.....   | 6850     | Strong plants           | N. G.                      | .....          |
| <b>H.</b> psycodes.....          | 2500     | Strong plants           | N. G.                      | .....          |
| <b>Orchis</b> spectabilis.....   | 1750     | Strong plants           | N. G.                      | .....          |

## Hardy Native Lilies and Bulbous Plants

|                                    |       |   |       |       |
|------------------------------------|-------|---|-------|-------|
| <b>Arisæma</b> triphyllum.....     | 2850  | Strong first size                                 | N. G. | ..... |
|                                    | 1500  | Medium size                                       | N. G. | ..... |
| <b>Convallaria</b> majalis.....    | 5150  | Strong  | N. G. | ..... |
| <b>Dicentra</b> eximia.....        | 9540  | Strong first size                                 | N. G. | ..... |
|                                    | 12500 | Medium size                                       | N. G. | ..... |
|                                    | 15000 | Light size  | N. G. | ..... |
| <b>Erythronium</b> americanum.     | 9000  | Medium size                                       | Coll. | ..... |
| <b>Lilium</b> canadense.....       | 3500  | First size  | N. G. | ..... |
|                                    | 1000  | Second size                                       | N. G. | ..... |
| <b>L.</b> carolinianum.....        | 1500  | Second size                                       | N. G. | ..... |
|                                    | 1000  | Third size  | N. G. | ..... |
| <b>L.</b> grayi.....               | 1250  | First size  | N. G. | ..... |
|                                    | 3500  | Second size                                       | N. G. | ..... |
|                                    | 3000  | Third size  | N. G. | ..... |
| <b>L.</b> philadelphicum.....      | 1500  | Flowering size                                    | N. G. | ..... |
| <b>L.</b> superbum.....            | 500   | XX, largest select                                | N. G. | ..... |
|                                    | 7500  | Strong first size                                 | N. G. | ..... |
|                                    | 30500 | Strong second size, X-bargain, bloom-<br>ing 1931 | N. G. | ..... |
|                                    | 31500 | X-quality third size                              | N. G. | ..... |
|                                    | 45000 | Strong 1-yr. seedlings                            | N. G. | ..... |
| <b>Narcissus</b> , in variety..... | 27500 | Strong, American-grown                            | N. G. | ..... |
| <b>Trillium</b> erectum.....       | 3500  | XX largest select                                 | N. G. | ..... |
|                                    | 22500 | Strong first size                                 | N. G. | ..... |
|                                    | 12600 | Strong second size                                | N. G. | ..... |
| <b>T.</b> grandiflorum.....        | 55000 | Strong first size                                 | N. G. | ..... |
|                                    | 37500 | Strong second size, blooming 1931                 | N. G. | ..... |
| <b>T.</b> stylosum.....            | 16450 | First size  | N. G. | ..... |
|                                    | 27500 | Second size, blooming 1931                        | N. G. | ..... |
| <b>T.</b> undulatum.....           | 18500 | Strong first size                                 | N. G. | ..... |
|                                    | 4000  | Second size, blooming 1931                        | N. G. | ..... |

## SPECIAL OFFERINGS FOR SPRING OF 1931

## Hardy Native Herbaceous Perennials, All Nursery Grown

| Name                              | Quantity | Size and Grade |
|-----------------------------------|----------|----------------|
| <i>Aconitum uncinatum</i> .....   | 2500     | Strong         |
| <i>Actæa alba</i> .....           | 2250     | Strong         |
| <i>A. rubra</i> .....             | 1375     | Strong         |
| <i>Anemone caroliniana</i> .....  | 2475     | Strong         |
| <i>Aralia racemosa</i> .....      | 750      | Strong         |
| <i>Aruncus sylvester</i> .....    | 7310     | Strong         |
| <i>Asarum shuttleworthii</i> .... | 3325     | Strong         |
| <i>Asclepias tuberosa</i> .....   | 1850     | Strong         |
|                                   | 3500     | 2-year         |
| <i>Astilbe biternata</i> .....    | 1650     | Strong         |
| <i>Baptisia tinctoria</i> .....   | 3500     | X-strong       |
| <i>Campanula divaricata</i> ....  | 2850     | Strong         |
| <i>Carex fraseri</i> .....        | 1770     | X-strong       |
| <i>Caulophyllum thalictroides</i> | 2150     | Strong         |
| <i>Chamælirium luteum</i> ....    | 2330     | Strong         |
| <i>Cimicifuga americana</i> ....  | 3250     | Strong         |
| <i>C. racemosa</i> .....          | 9790     | Strong         |
| <i>Clintonia borealis</i> .....   | 3250     | Strong         |
| <i>C. umbellulata</i> .....       | 2975     | Strong         |
| <i>Coreopsis lanceolata</i> ..... | 1175     | Strong         |
| <i>Diphylleia cymosa</i> .....    | 475      | X-strong       |
| <i>Disporum lanuginosum</i> ....  | 1500     | Strong         |
| <i>Dodecatheon meadia</i> .....   | 1250     | Strong         |
| <i>Epilobium angustifolium</i> .. | 300      | Strong         |
| <i>Eupatorium purpureum</i> ...   | 4325     | X-strong       |
| <i>Euphorbia corollata</i> .....  | 510      | Strong         |
| <i>Gentiana andrewsi</i> .....    | 7000     | Strong         |
| <i>Geum montanum</i> .....        | 3830     | Strong         |
| <i>Gillenia trifoliata</i> .....  | 6870     | X-strong       |
| <i>Helenium autumnale</i> .....   | 3500     | X-strong       |
| <i>Hepatica acutiloba</i> .....   | 3540     | X-strong       |
| <i>H. triloba</i> .....           | 1530     | Strong         |
| <i>Heuchera americana</i> .....   | 3255     | Strong         |
| <i>H. villosa</i> .....           | 2675     | Strong         |
| <i>Houstonia purpurea</i> .....   | 2460     | Strong         |
| <i>Hydrastis canadensis</i> ..... | 17500    | 2-year         |
|                                   | 35000    | 3-year         |
| <i>Liatris graminifolia</i> ..... | 260      | Strong         |
| <i>L. pycnostachya</i> .....      | 750      | X-strong       |
| <i>L. scariosa</i> .....          | 675      | Strong         |
| <i>L. spicata</i> .....           | 1550     | Strong         |

# SPECIAL OFFERINGS FOR SPRING OF 1931

| Name                              | Quantity | Size and Grade |
|-----------------------------------|----------|----------------|
| <b>Lobelia</b> cardinalis.....    | 8500     | Strong         |
| <b>L.</b> syphilitica.....        | 5500     | Strong         |
| <b>Panax</b> quinquefolium.....   | 2250     | 2-year         |
|                                   | 750      | 3-year         |
| <b>Phlox</b> divaricata.....      | 1850     | Strong         |
| <b>Podophyllum</b> peltatum...    | 3500     | Strong         |
| <b>Polygonatum</b> commutatum     | 7200     | X-strong       |
| <b>Potentilla</b> tridentata..... | 1340     | Strong         |
| <b>Saponaria</b> officinalis..... | 440      | Strong         |
| <b>Saxifraga</b> michauxi.....    | 1700     | Strong         |
| <b>Silene</b> stellata.....       | 750      | Strong         |
| <b>S.</b> virginica.....          | 1740     | Strong         |
| <b>Smilacina</b> racemosa.....    | 2000     | Strong         |
| <b>Solidago</b> odora.....        | 2140     | Strong         |
| <b>Stenanthium</b> robustum...    | 1390     | First size     |
|                                   | 2000     | Second size    |
|                                   | 1500     | Third size     |
| <b>Thermopsis</b> carolinianum..  | 1950     | 2-year, strong |
| <b>Uvularia</b> perfoliata.....   | 1760     | Strong         |
| <b>U.</b> sessilifolia.....       | 1575     | Strong         |
| <b>Vernonia</b> noveboracensis... | 3500     | Strong         |
| <b>Viola</b> cucullata.....       | 4500     | Strong         |
| <b>V.</b> pedata.....             | 5200     | Strong         |
|                                   | 6800     | Light          |
| <b>V.</b> pedata bicolor.....     | 7200     | Strong         |
|                                   | 4500     | Light          |
| <b>V.</b> rotundifolia.....       | 1500     | Strong         |
| <b>Xerophyllum</b> asphodeloides  | 3500     | Strong         |
| <b>Yucca</b> filamentosa.....     | 1000     | 3-year         |
| <b>Y.</b> flaccida.....           | 320      | 3-year         |
| <b>Zygadenus</b> muscætoxicus...  | 1715     | X-strong       |

---

**E. C. ROBBINS**—*Gardens of the Blue Ridge*

ASHFORD, McDowell County, NORTH CAROLINA